



Rowan Ranger Broiler

PERFORMANCE OBJECTIVES

2018



An Aviagen Brand



Contents

01	<i>Key Management Points</i>
02	<i>Introduction</i>
03	Section g <i>As-Hatched Performance</i>
04	Section g <i>Male Performance</i>
05	Section g <i>Female Performance</i>
07	Section lb <i>As-Hatched Performance</i>
08	Section lb <i>Male Performance</i>
09	Section lb <i>Female Performance</i>
11	<i>Carcass Yield</i>

Key Management Points

The Rowan Ranger® is a feather sexable, slower-growing, colored broiler. Suitable for both conventional production and alternative production systems, it offers leading performance for meat production at the same time as delivering excellent health and welfare characteristics. The following points are important for optimizing performance of the Rowan Ranger broiler:

- Maximize chick quality by good management of hatching, storage and transport conditions.
- Design the brooding set-up to ensure easy access to water and feed at placement, and to ease the transition between supplementary systems and the automated feeders and drinkers at 4-5 days. Feed a highly digestible and nutritionally balanced Starter diet.
- Rowan Ranger broiler chicks might be slightly smaller as egg size of the Ranger female is lower than that of standard Aviagen® parent stock females. Early environmental temperatures might have to be adjusted to account for this (+ 1°C / 2°F higher).
- Keep chicks in their thermal comfort zone by monitoring chick behavior, but beware of low relative humidities (less than 50% RH). Establish a minimum ventilation program from day one.
- Monitor crop fill, feeding and drinking behavior and 7-day live weight to allow continuous improvement of the brooding set-up.
- Maintain high standards of biosecurity and cleanliness to keep disease to a minimum.



Introduction

This booklet contains the performance objectives for the Rowan Ranger broiler and is to be used in conjunction with the **Broiler Management Handbook** supplied by Aviagen.

Performance

The performance objectives given in this booklet will be achieved under good management and environmental conditions. The achieved daily gain depends on feed program and management applied, and climatic conditions. Different growing programs and market demands may require alternative feed formulations; the Aviagen nutrition team can provide advice to suit individual growing programs.

The objectives are presented in two sections to reflect the global nature of the publication.

Section 1 *g* contains the performance data in metric measurement and

Section 2 *lb* contains imperial measurements.

In the tables values are rounded, this may result in small inaccuracies when using the objectives to calculate other performance statistics.

Yield will vary between processing plants depending on type of equipment used (e.g. carcass chilling technology, automated versus manual deboning) and the exact portion being produced.

For further information on the management of Rowan Ranger broiler stock, please contact your local Aviagen Representative.



As-Hatched Performance

Day	Weight (g) ¹	Daily gain (g)	Av. daily gain / week (g)	Daily intake (g)	Cum. intake (g) ²	FCR ³
0	30					
1	41	10			9	0.221
2	51	11		11	20	0.399
3	63	12		14	34	0.541
4	76	13		16	50	0.657
5	90	15		18	68	0.751
6	107	16		20	88	0.828
7	124	18	13.43	23	111	0.892
8	144	19		25	136	0.946
9	165	21		28	164	0.992
10	188	23		30	194	1.032
11	212	25		33	227	1.068
12	239	26		36	262	1.099
13	267	28		39	301	1.128
14	297	30	24.63	42	343	1.154
15	328	32		45	387	1.179
16	362	33		48	435	1.202
17	397	35		51	486	1.225
18	433	37		54	540	1.246
19	471	38		57	597	1.267
20	511	40		60	657	1.287
21	552	41	36.40	64	721	1.307
22	594	42		67	788	1.327
23	638	44		70	858	1.346
24	682	45		73	932	1.365
25	728	46		76	1008	1.384
26	775	47		80	1088	1.403
27	823	48		83	1170	1.422
28	872	49	45.74	86	1256	1.440
29	921	50		88	1344	1.459
30	972	50		91	1435	1.477
31	1023	51		94	1529	1.495
32	1074	51		96	1625	1.513
33	1126	52		99	1724	1.531
34	1178	52		101	1825	1.549
35	1231	53	51.25	103	1928	1.567
36	1283	53		105	2034	1.585
37	1336	53		107	2141	1.602
38	1389	53		109	2250	1.620
39	1442	53		111	2361	1.637
40	1495	53		112	2474	1.655
41	1548	53		114	2588	1.672
42	1601	53	52.85	115	2703	1.689
43	1653	52		116	2819	1.706
44	1705	52		118	2937	1.722
45	1757	52		118	3055	1.739
46	1808	51		119	3175	1.756
47	1859	51		120	3295	1.772
48	1910	50		121	3415	1.788
49	1960	50	51.28	121	3536	1.805
50	2009	49		121	3658	1.821
51	2058	49		122	3780	1.837
52	2106	48		122	3902	1.853
53	2154	48		122	4024	1.868
54	2201	47		122	4146	1.884
55	2247	46		122	4268	1.899
56	2292	46	47.56	122	4389	1.915
57	2337	45		121	4511	1.930
58	2381	44		121	4632	1.945
59	2425	43		121	4753	1.960
60	2467	43		120	4873	1.975
61	2509	42		120	4993	1.990
62	2551	41		119	5112	2.004
63	2591	40	42.64	118	5230	2.019
64	2630	40		118	5348	2.033
65	2669	39		117	5465	2.047
66	2707	38		116	5581	2.061
67	2745	37		115	5696	2.075
68	2781	36		114	5810	2.089
69	2817	36		113	5924	2.103
70	2852	35	37.27	112	6036	2.117

¹On-farm body weight (i.e. feed present in intestinal tract).

²Feed consumption per living bird.

³FCR includes initial body weight at placement and does not account for mortality.

NOTE: In the table values are rounded, this may result in small inaccuracies when using the objectives to calculate other performance statistics.



Rowan Ranger Broiler Performance Objectives



Male Performance

Day	Weight (g) ¹	Daily gain (g)	Av. daily gain / week (g)	Daily intake (g)	Cum. intake (g) ²	FCR ³
0	30					
1	40	10			8	0.202
2	51	10		11	19	0.370
3	62	12		13	32	0.509
4	75	13		15	47	0.624
5	90	15		18	65	0.720
6	106	16		20	85	0.801
7	124	18	13.39	23	108	0.870
8	144	20		26	134	0.929
9	165	22		28	162	0.979
10	189	23		31	193	1.023
11	214	25		34	227	1.062
12	241	27		37	264	1.097
13	270	29		40	305	1.128
14	301	31	25.31	44	348	1.156
15	334	33		47	395	1.182
16	369	35		50	445	1.207
17	406	37		54	499	1.230
18	444	38		57	556	1.252
19	484	40		60	616	1.273
20	526	42		64	680	1.293
21	570	44	38.38	67	748	1.312
22	615	45		71	819	1.331
23	662	47		74	893	1.350
24	710	48		78	971	1.368
25	759	49		81	1053	1.386
26	810	51		85	1137	1.404
27	862	52		88	1225	1.422
28	915	53	49.30	91	1317	1.439
29	969	54		94	1411	1.456
30	1024	55		98	1509	1.473
31	1080	56		100	1609	1.490
32	1136	56		103	1713	1.507
33	1193	57		106	1819	1.524
34	1251	58		109	1927	1.541
35	1309	58	56.25	111	2039	1.558
36	1367	58		114	2152	1.574
37	1426	59		116	2268	1.591
38	1485	59		118	2386	1.607
39	1544	59		120	2506	1.623
40	1603	59		122	2628	1.640
41	1662	59		124	2752	1.656
42	1721	59	58.86	125	2877	1.672
43	1780	59		127	3004	1.688
44	1838	59		128	3132	1.704
45	1896	58		129	3261	1.720
46	1954	58		130	3391	1.735
47	2012	57		131	3522	1.751
48	2069	57		132	3654	1.766
49	2125	57	57.78	133	3787	1.782
50	2181	56		133	3920	1.797
51	2237	55		134	4054	1.812
52	2292	55		134	4188	1.827
53	2346	54		134	4322	1.842
54	2399	53		134	4456	1.857
55	2452	53		134	4591	1.872
56	2504	52	54.08	134	4725	1.887
57	2555	51		134	4859	1.902
58	2606	50		134	4993	1.916
59	2655	50		133	5126	1.930
60	2704	49		133	5259	1.945
61	2752	48		133	5392	1.959
62	2799	47		132	5523	1.973
63	2846	46	48.83	131	5655	1.987
64	2891	45		131	5785	2.001
65	2936	45		130	5915	2.015
66	2980	44		129	6044	2.028
67	3023	43		128	6172	2.042
68	3065	42		127	6299	2.056
69	3106	41		126	6426	2.069
70	3146	40	42.91	125	6551	2.082

¹On-farm body weight (i.e. feed present in intestinal tract).

²Feed consumption per living bird.

³FCR includes initial body weight at placement and does not account for mortality.

NOTE: In the table values are rounded, this may result in small inaccuracies when using the objectives to calculate other performance statistics.



Female Performance

Day	Weight (g) ¹	Daily gain (g)	Av. daily gain / week (g)	Daily intake (g)	Cum. intake (g) ²	FCR ³
0	30					
1	41	10			10	0.244
2	51	11		12	22	0.433
3	63	12		14	37	0.579
4	76	13		16	53	0.693
5	91	15		18	71	0.783
6	107	16		20	91	0.855
7	124	18	13.42	22	114	0.914
8	143	19		24	138	0.963
9	164	21		27	165	1.004
10	186	22		29	194	1.040
11	210	24		32	225	1.072
12	236	26		34	260	1.100
13	263	27		37	296	1.127
14	292	29	23.91	40	336	1.152
15	322	30		42	378	1.175
16	354	32		45	424	1.198
17	387	33		48	472	1.220
18	421	35		51	523	1.241
19	457	36		54	577	1.262
20	494	37		57	634	1.283
21	533	38	34.41	60	694	1.303
22	572	39		63	757	1.323
23	613	41		66	823	1.344
24	654	41		69	892	1.364
25	696	42		72	963	1.383
26	740	43		74	1038	1.403
27	784	44		77	1115	1.423
28	828	45	42.22	80	1194	1.442
29	873	45		82	1277	1.462
30	919	46		85	1361	1.481
31	965	46		87	1448	1.500
32	1012	46		89	1537	1.520
33	1058	47		91	1628	1.539
34	1105	47		93	1721	1.557
35	1152	47	46.32	95	1816	1.576
36	1200	47		97	1913	1.595
37	1247	47		98	2012	1.614
38	1294	47		100	2112	1.632
39	1341	47		101	2213	1.650
40	1388	47		103	2316	1.669
41	1434	47		104	2419	1.687
42	1481	46	46.91	105	2524	1.705
43	1527	46		106	2630	1.723
44	1573	46		107	2737	1.740
45	1618	45		107	2844	1.758
46	1663	45		108	2952	1.775
47	1707	44		108	3060	1.793
48	1751	44		109	3169	1.810
49	1794	43	44.81	109	3278	1.827
50	1837	43		109	3388	1.844
51	1880	42		109	3497	1.861
52	1921	42		109	3607	1.877
53	1962	41		109	3716	1.894
54	2003	40		109	3825	1.910
55	2042	40		109	3934	1.926
56	2082	39	41.01	109	4043	1.942
57	2120	38		108	4152	1.958
58	2158	38		108	4260	1.974
59	2195	37		108	4367	1.990
60	2231	36		107	4474	2.006
61	2267	36		106	4581	2.021
62	2302	35		106	4687	2.036
63	2336	34	36.35	105	4792	2.051
64	2369	34		104	4896	2.066
65	2402	33		104	5000	2.081
66	2434	32		103	5103	2.096
67	2466	31		102	5205	2.111
68	2497	31		101	5306	2.125
69	2527	30		100	5406	2.139
70	2556	29	31.46	99	5505	2.154

¹On-farm body weight (i.e. feed present in intestinal tract).

²Feed consumption per living bird.

³FCR includes initial body weight at placement and does not account for mortality.

NOTE: In the table values are rounded, this may result in small inaccuracies when using the objectives to calculate other performance statistics.



Notes

A series of horizontal dotted lines for taking notes.



As-Hatched Performance

Day	Weight (lb) ¹	Daily gain (lb)	Av. daily gain / week (lb)	Daily intake (lb)	Cum. intake (lb) ²	FCR ³
0	0.067					
1	0.089	0.022			0.020	0.221
2	0.113	0.023		0.025	0.045	0.399
3	0.138	0.026		0.030	0.075	0.541
4	0.167	0.029		0.035	0.110	0.657
5	0.199	0.032		0.040	0.150	0.751
6	0.235	0.036		0.045	0.195	0.828
7	0.274	0.039	0.030	0.050	0.245	0.892
8	0.317	0.043		0.055	0.300	0.946
9	0.364	0.047		0.061	0.361	0.992
10	0.414	0.050		0.067	0.427	1.032
11	0.468	0.054		0.073	0.500	1.068
12	0.526	0.058		0.079	0.579	1.099
13	0.588	0.062		0.085	0.664	1.128
14	0.654	0.066	0.054	0.092	0.755	1.154
15	0.724	0.070		0.098	0.853	1.179
16	0.797	0.073		0.105	0.959	1.202
17	0.874	0.077		0.112	1.071	1.225
18	0.955	0.080		0.119	1.190	1.246
19	1.039	0.084		0.126	1.316	1.267
20	1.126	0.087		0.133	1.449	1.287
21	1.216	0.090	0.080	0.141	1.590	1.307
22	1.309	0.093		0.148	1.737	1.327
23	1.405	0.096		0.155	1.892	1.346
24	1.504	0.099		0.162	2.054	1.365
25	1.605	0.101		0.169	2.223	1.384
26	1.709	0.103		0.175	2.398	1.403
27	1.814	0.106		0.182	2.580	1.422
28	1.922	0.108	0.101	0.189	2.768	1.440
29	2.031	0.109		0.195	2.963	1.459
30	2.142	0.111		0.201	3.164	1.477
31	2.254	0.112		0.207	3.371	1.495
32	2.368	0.113		0.212	3.583	1.513
33	2.482	0.114		0.218	3.801	1.531
34	2.597	0.115		0.223	4.024	1.549
35	2.713	0.116	0.113	0.228	4.252	1.567
36	2.829	0.116		0.232	4.484	1.585
37	2.946	0.117		0.237	4.720	1.602
38	3.063	0.117		0.241	4.961	1.620
39	3.179	0.117		0.244	5.206	1.637
40	3.296	0.117		0.248	5.453	1.655
41	3.413	0.116		0.251	5.705	1.672
42	3.529	0.116	0.117	0.254	5.959	1.689
43	3.644	0.115		0.257	6.215	1.706
44	3.759	0.115		0.259	6.474	1.722
45	3.873	0.114		0.261	6.736	1.739
46	3.986	0.113		0.263	6.999	1.756
47	4.099	0.112		0.265	7.263	1.772
48	4.210	0.111		0.266	7.529	1.788
49	4.320	0.110	0.113	0.267	7.796	1.805
50	4.429	0.109		0.268	8.064	1.821
51	4.537	0.108		0.268	8.332	1.837
52	4.643	0.106		0.269	8.601	1.853
53	4.748	0.105		0.269	8.870	1.868
54	4.851	0.104		0.269	9.139	1.884
55	4.953	0.102		0.269	9.408	1.899
56	5.054	0.100	0.105	0.268	9.677	1.915
57	5.153	0.099		0.268	9.944	1.930
58	5.250	0.097		0.267	10.212	1.945
59	5.346	0.096		0.266	10.478	1.960
60	5.440	0.094		0.265	10.743	1.975
61	5.532	0.092		0.264	11.007	1.990
62	5.623	0.091		0.263	11.269	2.004
63	5.712	0.089	0.094	0.261	11.530	2.019
64	5.799	0.087		0.259	11.790	2.033
65	5.885	0.086		0.258	12.047	2.047
66	5.969	0.084		0.256	12.303	2.061
67	6.051	0.082		0.254	12.557	2.075
68	6.131	0.080		0.252	12.809	2.089
69	6.210	0.079		0.250	13.059	2.103
70	6.287	0.077	0.082	0.248	13.307	2.117

¹On-farm body weight (i.e. feed present in intestinal tract).

²Feed consumption per living bird.

³FCR includes initial body weight at placement and does not account for mortality.

NOTE: In the table values are rounded, this may result in small inaccuracies when using the objectives to calculate other performance statistics.



Male Performance

Day	Weight (lb) ¹	Daily gain (lb)	Av. daily gain / week (lb)	Daily intake (lb)	Cum. intake (lb) ²	FCR ³
0	0.067					
1	0.089	0.022			0.018	0.202
2	0.112	0.023		0.023	0.041	0.370
3	0.137	0.026		0.029	0.070	0.509
4	0.166	0.029		0.034	0.104	0.624
5	0.198	0.032		0.039	0.143	0.720
6	0.234	0.036		0.045	0.188	0.801
7	0.274	0.040	0.030	0.050	0.238	0.870
8	0.317	0.043		0.056	0.294	0.929
9	0.364	0.047		0.062	0.357	0.979
10	0.416	0.052		0.069	0.426	1.023
11	0.472	0.056		0.075	0.501	1.062
12	0.532	0.060		0.082	0.583	1.097
13	0.596	0.064		0.089	0.672	1.128
14	0.664	0.068	0.056	0.096	0.768	1.156
15	0.737	0.073		0.103	0.871	1.182
16	0.814	0.077		0.111	0.982	1.207
17	0.894	0.081		0.118	1.100	1.230
18	0.979	0.085		0.126	1.226	1.252
19	1.068	0.089		0.133	1.359	1.273
20	1.160	0.092		0.141	1.500	1.293
21	1.257	0.096	0.085	0.149	1.649	1.312
22	1.356	0.100		0.157	1.805	1.331
23	1.459	0.103		0.164	1.969	1.350
24	1.565	0.106		0.172	2.141	1.368
25	1.674	0.109		0.179	2.321	1.386
26	1.786	0.112		0.187	2.508	1.404
27	1.901	0.114		0.194	2.702	1.422
28	2.017	0.117	0.109	0.201	2.903	1.439
29	2.136	0.119		0.208	3.111	1.456
30	2.257	0.121		0.215	3.326	1.473
31	2.380	0.123		0.222	3.548	1.490
32	2.505	0.124		0.228	3.776	1.507
33	2.631	0.126		0.234	4.010	1.524
34	2.758	0.127		0.240	4.249	1.541
35	2.885	0.128	0.124	0.245	4.495	1.558
36	3.014	0.129		0.251	4.745	1.574
37	3.144	0.129		0.256	5.001	1.591
38	3.274	0.130		0.260	5.261	1.607
39	3.404	0.130		0.265	5.526	1.623
40	3.534	0.130		0.269	5.794	1.640
41	3.664	0.130		0.273	6.067	1.656
42	3.794	0.130	0.130	0.276	6.343	1.672
43	3.923	0.130		0.279	6.622	1.688
44	4.052	0.129		0.282	6.904	1.704
45	4.181	0.128		0.285	7.189	1.720
46	4.308	0.128		0.287	7.476	1.735
47	4.435	0.127		0.289	7.765	1.751
48	4.561	0.126		0.291	8.056	1.766
49	4.686	0.125	0.127	0.292	8.349	1.782
50	4.809	0.123		0.294	8.642	1.797
51	4.931	0.122		0.295	8.937	1.812
52	5.052	0.121		0.295	9.232	1.827
53	5.171	0.119		0.296	9.528	1.842
54	5.289	0.118		0.296	9.824	1.857
55	5.406	0.116		0.296	10.120	1.872
56	5.520	0.115	0.119	0.296	10.416	1.887
57	5.633	0.113		0.296	10.712	1.902
58	5.744	0.111		0.295	11.007	1.916
59	5.854	0.109		0.294	11.301	1.930
60	5.962	0.108		0.293	11.594	1.945
61	6.068	0.106		0.292	11.886	1.959
62	6.172	0.104		0.291	12.177	1.973
63	6.274	0.102	0.108	0.289	12.467	1.987
64	6.374	0.100		0.288	12.754	2.001
65	6.472	0.098		0.286	13.041	2.015
66	6.569	0.097		0.284	13.325	2.028
67	6.664	0.095		0.282	13.607	2.042
68	6.756	0.093		0.280	13.888	2.056
69	6.847	0.091		0.278	14.166	2.069
70	6.936	0.089	0.095	0.276	14.442	2.082

¹On-farm body weight (i.e. feed present in intestinal tract).

²Feed consumption per living bird.

³FCR includes initial body weight at placement and does not account for mortality.

NOTE: In the table values are rounded, this may result in small inaccuracies when using the objectives to calculate other performance statistics.



Female Performance

Day	Weight (lb) ¹	Daily gain (lb)	Av. daily gain / week (lb)	Daily intake (lb)	Cum. intake (lb) ²	FCR ³
0	0.067					
1	0.090	0.023			0.022	0.244
2	0.113	0.023		0.027	0.049	0.433
3	0.139	0.026		0.032	0.081	0.579
4	0.168	0.029		0.036	0.116	0.693
5	0.200	0.032		0.040	0.157	0.783
6	0.235	0.035		0.045	0.201	0.855
7	0.274	0.039	0.030	0.049	0.250	0.914
8	0.316	0.042		0.054	0.304	0.963
9	0.362	0.046		0.059	0.363	1.004
10	0.411	0.049		0.064	0.427	1.040
11	0.464	0.053		0.070	0.497	1.072
12	0.520	0.056		0.075	0.572	1.100
13	0.580	0.060		0.081	0.653	1.127
14	0.643	0.063	0.053	0.087	0.741	1.152
15	0.710	0.067		0.093	0.834	1.175
16	0.780	0.070		0.100	0.934	1.198
17	0.853	0.073		0.106	1.040	1.220
18	0.929	0.076		0.113	1.153	1.241
19	1.008	0.079		0.119	1.272	1.262
20	1.090	0.082		0.126	1.398	1.283
21	1.174	0.084	0.076	0.132	1.530	1.303
22	1.261	0.087		0.139	1.669	1.323
23	1.350	0.089		0.145	1.814	1.344
24	1.442	0.091		0.152	1.966	1.364
25	1.535	0.093		0.158	2.124	1.383
26	1.630	0.095		0.164	2.288	1.403
27	1.727	0.097		0.170	2.458	1.423
28	1.826	0.098	0.093	0.176	2.633	1.442
29	1.925	0.100		0.181	2.814	1.462
30	2.026	0.101		0.186	3.001	1.481
31	2.128	0.102		0.192	3.192	1.500
32	2.230	0.102		0.196	3.389	1.520
33	2.333	0.103		0.201	3.590	1.539
34	2.437	0.104		0.205	3.795	1.557
35	2.541	0.104	0.102	0.210	4.005	1.576
36	2.645	0.104		0.213	4.218	1.595
37	2.749	0.104		0.217	4.435	1.614
38	2.852	0.104		0.220	4.655	1.632
39	2.956	0.104		0.223	4.879	1.650
40	3.059	0.103		0.226	5.105	1.669
41	3.162	0.103		0.229	5.334	1.687
42	3.264	0.102	0.103	0.231	5.565	1.705
43	3.366	0.102		0.233	5.798	1.723
44	3.467	0.101		0.235	6.033	1.740
45	3.567	0.100		0.237	6.270	1.758
46	3.666	0.099		0.238	6.508	1.775
47	3.764	0.098		0.239	6.747	1.793
48	3.860	0.097		0.240	6.987	1.810
49	3.956	0.096	0.099	0.241	7.227	1.827
50	4.050	0.094		0.241	7.468	1.844
51	4.144	0.093		0.241	7.710	1.861
52	4.235	0.092		0.241	7.951	1.877
53	4.326	0.090		0.241	8.192	1.894
54	4.415	0.089		0.241	8.433	1.910
55	4.503	0.088		0.241	8.674	1.926
56	4.589	0.086	0.090	0.240	8.914	1.942
57	4.674	0.085		0.239	9.153	1.958
58	4.757	0.083		0.238	9.391	1.974
59	4.838	0.082		0.237	9.628	1.990
60	4.919	0.080		0.236	9.864	2.006
61	4.997	0.079		0.235	10.099	2.021
62	5.074	0.077		0.233	10.332	2.036
63	5.150	0.076	0.080	0.232	10.564	2.051
64	5.224	0.074		0.230	10.794	2.066
65	5.296	0.072		0.228	11.023	2.081
66	5.367	0.071		0.227	11.249	2.096
67	5.436	0.069		0.225	11.474	2.111
68	5.504	0.068		0.223	11.697	2.125
69	5.570	0.066		0.221	11.918	2.139
70	5.635	0.065	0.069	0.219	12.137	2.154

¹On-farm body weight (i.e. feed present in intestinal tract).

²Feed consumption per living bird.

³FCR includes initial body weight at placement and does not account for mortality.

NOTE: In the table values are rounded, this may result in small inaccuracies when using the objectives to calculate other performance statistics.



Rowan Ranger Broiler Performance Objectives

Carcass Yield

The following diagrams indicate how yields of the major portions change with increasing live weight in each sex. Two types of processing are described: eviscerated yield is broken down into breast meat, thigh and drumstick to represent a portioning operation and into breast meat and leg meat to represent a deboning operation.

Rowan Ranger Male - Portion





Rowan Ranger Female - Portion





Rowan Ranger Broiler Performance Objectives



Definitions of Terms:

- Eviscerated %** eviscerated carcass (without neck, abdominal fat and internal organs) as a percentage of live weight.
- Breast %** breast meat (without skin and bone) as a percentage of live weight.
- Thigh / Drumstick %** whole thigh / drumstick (with skin and bone) as a percentage of live weight.
- Leg Meat %** sum of deboned thigh (without skin) and deboned drumstick (without skin) as a percentage of live weight.

NOTE: These figures represent dry yield. They do not include any moisture retained during chilling or processing. Carcass component yields will vary among processing plants depending on, for example, type of equipment used and the exact portion(s) being produced.



Notes

A series of horizontal dotted lines for taking notes.



Notes

A series of horizontal dotted lines for taking notes, spanning the width of the page.



Every attempt has been made to ensure the accuracy and relevance of the information presented. However, Aviagen accepts no liability for the consequences of using the information for the management of chickens.

For further information on the management of Rowan Range® stock, please contact your local representative.

Aviagen and the Aviagen logo, the Rowan Range and the Rowan Range logo, and the Rowan Ranger and the Rowan Ranger logo are registered trademarks of Aviagen in the US and other countries.

All other trademarks or brands are registered by their respective owners.

© 2018 Aviagen.

0118-RR-003